Serial No. 10/597, 413

IN THE CLAIMS:

Kindly replace the claims of record with the following full set of claims:

1. (Currently amended) A record carrier comprising a plurality of areas for

storing disc management information and a designation area, said designation

area including a predefined number of clusters, said predefined number being

associated with a number of said plurality of areas, wherein at least one of said

clusters is associated with a corresponding one of the plurality of areas for

storing disc management information, wherein signals in the designation area

indicate which corresponding one of said plurality of areas for storing disc

management information is last filled.is in use.

2. (Previously presented) The record carrier according to claim 1, wherein the

designation area is located inside one of said plurality of areas for storing disc

management information.

3. (Previously presented) The record carrier according to claim 1, wherein the

designation area is located adjacent to one of said plurality of areas for storing

disc management information.

4. (Previously presented) The record carrier according to claim 1 wherein the

signals comprise marks indicating a first status of a corresponding one of the

plurality of areas for storing disc management information and no marks

indicating a second status of a corresponding one of the plurality of areas for

storing disc management information.

5. (Currently amended) The record carrier according to claim 4, wherein the first

status indicates that a corresponding area of said plurality of areas for storing

disc management information has been filled is in use, and the second status indicates that the corresponding area of said plurality of areas for storing disc management information is not filled in use.

(Currently amended) A method for recording information on a record carrier, said record carrier comprising plurality of areas for storing disc management information and a designation area including a predefined number of clusters, said predefined number of clusters being associated with a number of said plurality of areas, at least one of said clusters being associated with a corresponding one of the plurality of areas for storing disc management information wherein signals in the clusters indicate which of said plurality of areas for storing disc management information have been filled is in use, the method comprising the steps of:

accessing the designation area comprising signals indicating which of said aid plurality of areas for storing disc management information that have been filled is in use,

checking each of said signals in said designation area;

determining from said signals the last area for storing disc management information that has been filled which is in use, and

retrieving the disc management information contained within said determined last area for storing disc management information.

- 7. (Currently amended) The method according to claim 6, wherein the step of accessing the designation area comprising signals indicating which of said plurality of areas for storing disc management information have been filled i is in use consists of referencing a predefined location on the record carrier.
- 8. (Currently amended) The method according to claim 6, wherein the step of retrieving the disc management information comprises retrieving pointer

Serial No. 10/597, 413

information from a predefined location in the determined last area for storing disc

management information that has been filled in use, and subsequently retrieving

the disc management information by using said pointer information.

9. (cancel)

10. (Currently amended) The record carrier according to claim 1, wherein

said signals in said clusters of said designation area explicitly identify which of

[[of]] said plurality of areas is in use.

11. (Previously presented) The record carrier according to claim 1, wherein

said signals in said cluster of said designation area implicitly identify which of

said plurality of areas is in use.

12. (Previously presented) The record carrier according to claim 1, wherein a

first one of said plurality of areas is contained at a known region of said record

carrier.

13. (Previously presented) The record carrier according to claim 1, wherein

said designation area is contained at a known region of said record carrier.

14. (Previously presented) The method according to claim 6, wherein said

signals in said clusters of said designation area explicitly identify which of said

plurality of areas is in use.

15. (Currently amended) The method according to claim 6, wherein said

signals in said clusters [[fo]] of said other area implicitly identify which of said

plurality of areas is in use.

16. (Previously presented) The method according to claim 6, wherein a first

one of said plurality of areas is contained at a known region of said record

carrier.

17. (Currently amended) A record carrier comprising at least one layer, each

of said at least one layer comprising:

a plurality of areas of a known dimension for storing disc management

information and a designation area, said designation area including a predefined

number of clusters, said predefined number of clusters being associated with a

number of said plurality of areas, at least one cluster being associated with a

corresponding one of the plurality of areas for storing disc management

information, wherein signals in the designation area indicate which of said

plurality of areas have been filled is in use.

18. (Currently amended) The record carrier according to claim 17, wherein

said signals in said clusters in said designation area explicitly identify which of

said plurality of areas have been filled is in use.

19. (Currently amended) The record carrier according to claim 17, wherein

said signals in said clusters in said other area implicitly identify which of said

plurality of areas have been filled is in use.

20. (Previously presented) The record carrier of claim 1, wherein the predefined

number of clusters equals the number of said plurality of areas.

21. (Previously presented) The record carrier of claim 1, wherein the predefined

number of clusters equals one less than the number of said plurality of areas.